

PROFIX®

www.profix.com.pl

PL

PILARKA STOŁOWA DO DREWNA

GB








WOOD TABLE SAW

RU

НАСТОЛЬНАЯ ЦИРКУЛЯРНАЯ ПИЛА

TRYTON
ELEKTRONARZĘDZIA

TK1500



2020-02-03

Part No	Art No	Pc	EN Description	PL Opis	RUS Описание
1			self-tap screw ST4.2x16C-F		
2			motor rear cover		
3			carbon brush caps		
4	YTK50004		Carbon brushes	Szczotki węglowe	Угольные щетки
5			carbon brush holders		
6			carbon brush supports		
7			small inductor		
8			motor housing		
9			screw M5X25		
10	YTK50010		Stator	Stojan silnika	Статор электродвигателя
11			washer 5		
12			spring washer 5		
13			screw M5X75		
14			baffle		
15			rubber bearing housing		
16			ball bearing 627-Z		
17	YTK50017		Rotor	Wirnik silnika	Якорь электродвигателя
18			ball bearing 6000-2Z		
19			locking nut M6		
20			special screw		
21			bolt M6X12		
22			spring washer 6		
23			movable bolt		
24			locking nut		
25			pipe for finalizing the design		
26			the first supporting board		
27			spring round pin 8X88X1		
28			bolt M6X85		
29			gear housing		
30			right extraction elbow		
31			left extraction elbow		
32	YTK5000T		inner guard	Ośłona tarczy	Защита диска
33			short extraction pipe		
34			locking nutM5		
35			cover		
36			spring washer		
37			ball bearing 619/8-2Z		
38			bolt M6X12		
39	YTK50039		Big gear	Koło zębate	Колесо зубчатое
40			screw M5X10		
41	YTK50041		Output spindle	Wrzeciono	Шпиндель
42	YTK50042		Woodruff key 4X4X12	Klin wrzeciona (wpust czółenkowy)	Шпонка сегментная полукруглая
43			safety protection board		
44			ball bearing 6003-Z		
45			bearing housing		
46			orientation part on spindle		
47			screw M5X16		
48			adjustable washer		
49			screw M6x12		
50			wavy spring washer 45		
51			adjustable board		
52			ringent spring washer		
53			rotatory board		

54		iving knife fixed board		
55		spring washer 6		
56		bolt M6X12		
57		iving knife		
58		pin		
59		bolt M8X18		
60		outer flange washer		
61	YTK150PT	Outside flange	Podkładka zewnętrzna tarczy	Наружный фланец диска
62		Saw blade Ø250mm	Piła tarczowa Ø250mm	Диск пильный Ø250мм
63	YTK150PT	Inner flange	Podkładka wewnętrzna tarczy	Внутренний фланец диска
64		backstop for spindle 45		
65		guard connection board		
66		locking nut M6		
67		pin		
68		fixed board		
69		ringent spring washer		
70		long extraction pipe		
71		locking nut A		
72		rubber jacket		
73		locking base		
74		screw M5X10		
75		upper rubber feet		
76		connection		
77		extraction bag connection		
78		locking nut B		
79		left board		
80		rear board		
81		rivet		
82		rear connection board for machine box		
83		compact board B		
84		front connection board for machine box		
85		locking nut M6		
86		compact board A		
87		left/right working table		
88		rear connection board for working table		
89		middle working table		
90		front connection board for working table		
91		left/right working table		
92				
93				
94				
95		right board		
96		rip fence displacement indication		
97		switch nether box		
98		self-tap screwst4.2x16		
99		spring washer4		
100		washer 4		
101		big inductor		
102				
103	YTK150ZT	terminal block	Zabezpieczenie termiczne	Термопредохранитель
104		capacitor		
105		cable fixed board		

Part No	Art No	Pc	EN Description	PL Opis	RUS Описание
106			motor cable		
107			power cable		
108			cable jacket		
109			switch upper box		
110			self-tap screwST4.2x16		
111	YTK50111		Electromagnetism switch	Włącznik	Включатель
112			the first switch cover		
113			D-shape bolt		
114			self-tap screwST2.9X10		
115			self-tap screwST2.9X12-C-F		
116			switch block		
117			gear		
118			rack		
119			rotary board		
120			front board		
121					
122			locking nut M6		
123			washer 6		
124			spring washer 6		
125			spring round pin 4X13		
126			angle indication		
127			push button		
128			rotary handle		
129			angle locking handle jacket		
130			angle locking handle		
131			angle locking handle cover		
132			pointer		
133			screw M4X12		
134			wheel handle		
135			screw M6X60		
136			nut M6		
137			screw M6X20		
138			wheel		
139			wheel spindle		
140			pipe for finalizing the design		
141			locking nut M6		
142			locking nut M6		
143			wavy spring washer 10		
144			bolt M6X12		
145			the second supporting board		
146			locking nut M6		
147			bolt M6X20		
148			screw M6X12		
149			screw M5X8		
150			spring washer 5		
151			washer 5		
152			angle pointer		
153			scerw M5X20		
154			bolt M6X85		
155			pointer fixed piece		
156			nut M6		
157			small backing block		
158			the third supported board		

159		spindle		
160		scerw M6X40		
161		nut M6		
162		the second push stick fixed board		
163		the first push stick fixed board		
164		boltM5x40		
F11		upper long beam		
F12		nether short beam		
F13		nether long beam		
F14		bolt M6X12		
F15		upper short beam		
F16		support feet		
F17		nut M6		
F18		nether rubber feet		
F21		push stick		
F22		hook spanner		
F23		spanner		
F31		scale fence		
F310		screwM4X6		
F311		washer 4		
F312		washer 4		
F313		scale pointer		
F32		blot M6X25		
F33		the left cover of scale fence		
F34		fixed knob		
F35		scale		
F36		echelon ruler		
F37		screw M6X25		
F38		the right cover of scale fence		
F39		fixed knob		
F41		bolt		
F410		locked part		
F411		fence lock or move base		
F412		screw		
F413		ruler knob		
F42		washer		
F43		fixed knob		
F44		screw		
F45		washer		
F46		washer 6		
F47		ruler pointer		
F48		rip fence		
F49		ruler backstop		
F51		butterfly nut		
F52		right rotary guard		
F53		screw		
F54		self-tap screw		
F55		left top guard		
F61		additional working table in width		
F62		short supported parts		
F63		nut M5		
F64		screw M5x10		
F71		the second additional working table in length		
F72		long supported parts		